

# MH GLOBAL

**EXCLUSIVE CORPORATE & PROMOTIONAL GIFTS** 



SKROSS TRAVEL ADAPTER



We supply exclusive corporate gifts and promotional products that are suitable for various occasions and events at most competitive prices. Quality is guaranteed.







- Positioned and renowned as a leading brand for high-quality travel accessories,
   SKROSS products are currently available in more than 100 countries worldwide.
  - Maintaining the highest quality in safety standards forms the foundation across the entire SKROSS development and production process.



- Ensuring connection globally, across all continents, our products also remain compact and the easiest-to-use available option in the market-it's what makes **SKROSS** so unique.
  - All SKROSS products are designed with a clear focus on enhancing the experience of today's sophisticated traveler and our world and country adapters are genuinely Swiss in design and development.

SAFE + SIMPLE + SWISS



## TRAVEL ADAPTER





## WORLD ADAPTER MUV USB






#### **Technical Specifications:**

- Designed in Switzerland
- Suitable for all 2-pole (unearthed) devices
- Receptacles for: Euro, USA/Japan, Australia/China, UK (UK not in the Swiss version)
- Retractable plugs: Euro, USA/Japan, Australia/China, UK
- Input voltage: 100 V 250 V
- Max. load: 2.5 A
- Power rating: e.g. 100 V 250 W / 250 V 625 W
- Replaceable fuse: T2.5 A
- 2X USB output: 5V / 2.4A shared
- Does not convert voltage

YOUR PRICE (RM)					
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)		
120.00	105.00	95.00	90.00		

#### World travel adapter with integrated, dual USB charger

This innovative 2-pole adapter can be used in over 220 countries and functions as both a travel plug and USB charger for travellers from all over the world.







## WORLD ADAPTER MUV MICRO

#### **Technical Specifications:**

- · Designed in Switzerland
- Suitable for all 2-pole (unearthed) devices
- Receptacles for: Euro, USA/Japan, Australia/China, UK (UK not in the Swiss version)
- Retractable plugs: Euro, USA/Japan, Australia/China, UK
- Input voltage: 100 V 250 V
- Max. load: 2.5 A
- Power rating: e.g. 100 V 250 W / 250 V 625 W
- Replaceable fuse: T2.5 A
- Does not convert voltage

## The most compact travel plug for connecting devices anywhere in the world

Measuring only  $5 \times 5$  cm, this is the most compact 2-pole adapter for travellers from and in over 220 countries.

YOUR PRICE (RM)					
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)		
110.00	86.70	78.90	72.40		



### WORLD ADAPTER MUV MICRO USB



#### **Technical Specifications:**

- · Designed in Switzerland
- Suitable for all 2–pole (unearthed) devices
- Receptacles for: Euro, USA/Japan, Australia/China, UK (UK not in the Swiss version)
- Retractable plugs: Euro, USA/Japan, Australia/China, UK
- Dual USB top for charging USB devices
- Input voltage: 100 V 250 V
- Max. load: 2.5 A
- Power rating: e.g. 100 V 250 W / 250 V 625 W
- Replaceable fuse: T2.5 A
- USB output 5 V / 2400 mA shared
- Does not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
179.70	142.60	129.60	118.80	

The most compact travel plug with a USB charger for connecting devices anywhere in the world

Measuring only  $5 \times 5$  cm, this is the most compact 2-pole adapter with a dual USB charger for travellers from and in over 220 countries.





## **EVO**

#### **Technical Specifications:**

- · Designed in Switzerland
- Suitable for equipment with unearthed plugs (2-pole)
- Receptacles for: Euro, USA/Japan, Australia/China, UK (UK not in the Swiss version)
- Retractable plugs: Euro, USA/Japan, Australia/China, UK
- Input voltage: 100 V 250 V
- Max. load: 2.5 A
- Power rating: e.g. 100 V 250 W / 250 V 625 W
- Replaceable fuse: T2.5 A
- 2 spare fuses included
- Does not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
106.20	83.80	76.20	69.80	



## **EVO USB- WORLD**

#### **Technical Specifications:**

- · Designed in Switzerland
- Suitable for equipment with unearthed plugs (2-pole)
- Receptacles for: Euro, USA/Japan, Australia/China, UK (UK not in the Swiss version)
- Retractable plugs: Euro, USA/Japan, Australia/China, UK
- Dual USB top for charging USB devices
- Input voltage: 100 V 250 V
- Max. load: 2.5 A
- Power rating: e.g. 100 V 250 W / 250 V 625 W
- Replaceable fuse: T2.5 A
- 2 spare fuses included
- USB output 5 V / 2400 mA shared
- Does not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
158.70	125.80	114.40	104.80	





## **PRO-WORLD**

#### **Technical Specifications:**

- Designed in Switzerland
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)
- Receptacles for: Italy/Switzerland, Australia/China, UK, USA/Japan, Europe (Schuko & 2-pole Euro)
- Retractable plugs: Italy/Switzerland, Australia/China, UK, USA, Europe (Schuko)
- Input voltage: 100 V 250 V
- Max. load: 6.3 A
- Power rating: e.g. 100 V 630 W / 250 V 1575 W
- Replaceable fuse: T6.3 ADoes not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
211.20	167.80	152.50	139.80	



## **PRO-WORLD AND USB**

#### **Technical Specifications:**

- Designed in Switzerland.
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)
- Receptacles for: Switzerland, Italy, Brazil, USA/Japan, UK, Australia/ China, Europe (Schuko & 2-pole Euro)
- Retractable plugs: Switzerland/Italy/Brazil, USA, UK, Australia/China, Europe (Schuko)
- Snap-on top with included USB port
- Input voltage: 100 V 250 V
- Max. load: 6.3 A
- Power rating: e.g. 100 V 630 W / 250 V 1575 W
- Replaceable fuse: T6.3 AUSB output: 5 V / 2100 mA

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
284.70	226.60	206.00	188.80	





## PRO LIGHT-WORLD

#### **Technical Specifications:**

- Designed in Switzerland
- Suitable for equipment with 2- & 3-pole plugs
- Adapter input for: Switzerland, Italy, Brazil, USA/Japan, UK, Australia/China, Europe (Schuko & 2-pole Euro)
- Retractable plugs (3-pole): USA, UK, Australia/China, Europe (Schuko)
- Input voltage: 100 V 250 V
- Max. load: 6.3 A
- Power rating: e.g. 100 V 630 W / 250 V 1575 W
- Integrated fuse: T6.3 A
- Does not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
186.00	147.60	134.20	123.00	



## PRO LIGHT USB- WORLD

#### **Technical Specifications:**

- Designed in Switzerland.
- Suitable for equipment with 2- & 3-pole plugs
- Adapter input for: Switzerland, Italy, Brazil, USA/Japan, UK, Australia/China, Europe (Schuko & 2-pole Euro)
- Retractable plugs (3-pole): USA, UK, Australia/China, Europe (Schuko)
- Input voltage: 100 V 250 V
- Max. load: 6.3 A
- Power rating: e.g. 100 V 630 W / 250 V 1575 W
- Integrated fuse: T6.3 A
- 2X USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
232.20	184.60	167.80	153.80	





## WORLD TO EUROPE USB

#### **Technical Specifications:**

- · Designed in Switzerland
- Travel adapter with USB connection for information technology devices— e.g. mobile phones or MP3 players
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole) and USB devices
- Receptacles for: Switzerland, Italy, Australia/China, UK, USA/Japan
- Output plug: Europe (Schuko)
- Input voltage: 100 V 250 V
- Max. load: 16 A
- Power rating: e.g. 100 V 1600 W / 250 V 4000 W
- USB output: 5 V / 2100 mA
- Adapter does not convert voltage

	YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)		
106.20	83.80	76.20	69.80		



## WORLD TO UK USB

#### **Technical Specifications:**

- · Designed in Switzerland
- $\bullet \quad \text{Travel adapter with USB connection for information technology devices} \text{e.g. mobile phones or MP3 players} \\$
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole) and USB devices
- Receptacles for: Australia/China, UK, USA/Japan, Switzerland, Italy, Brazil, Europe (2-pole Euro)
- Output plug: UK
- Input voltage: 100 V 250 V
- Max. load: 13 A
- Power rating: e.g. 100 V 1300 W / 250 V 3250 W
- Replaceable fuse: T13 AUSB output: 5 V / 2100 mA
- Adapter does not convert voltage

	YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)		
106.20	83.80	76.20	69.80		



## USB CHARGER







## WORLD USB CHARGER

#### **Technical Specifications:**

- Designed & engineered in Switzerland
- Get connected in over 220 countries worldwide
- Innovative design
- Input: 100 V 250 V
- 2X USB Output: 5 V / 2400 mA shared
- Protection class II

YOUR PRICE (RM)					
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)		
135.60	107.40	97.60	89.40		



## **EURO USB CHARGER**

#### **Technical Specifications:**

- · Designed in Switzerland
- Suitable in all countries with Euro-plug-standard (more than 160 countries worldwide) and compatible with all SKROSS adapters
- 2 USB ports for simultaneous powerful charging
- Also compatible with all SKROSS adapters
- Input: 100 V 250 V
- 2X USB output: 5 V / 2400 mA shared
- Protection class II

	YOUR PR	ICE (RM)	
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)
95.70	75.40	68.50	62.80





## **EURO USB CHARGER-4 PORT**

#### **Technical Specifications:**

- Suitable in all countries with Euro-plug-standard (more than 160 countries worldwide)
- 4 USB ports for simultaneous powerful charging
- Input: 100 V 240 V ~ 50/60 Hz 500 mA (max.)
- Output 1: 5 V / 1 A max.
- Output 2: 5 V / 1 A
- Output 3: 5 V / 1 A
- Output 4: 5 V / 2.4 A
- Output max.: 5 V / 4.8 A max.

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
133.50	105.60	96.00	88.00	



## UK USB CHARGER – 4 PORT

#### **Technical Specifications:**

- Suitable in all countries with UK-plug-standard (over 50 countries worldwide)
- 4 USB ports for simultaneous powerful charging
- Input: 100 V 240 V ~ 50/60 Hz 500 mA (max.)
- Output 1: 5 V / 1 A max.
- Output 2: 5 V / 1 A
- Output 3: 5 V / 1 A
- Output 4: 5 V / 2.4 A
- Output max.: 5 V / 4.8 A max.

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
133.50	105.60	96.00	88.00	



## **POWERBANKS**











#### **Technical Specifications:**

- Suitable for USB devices
- Output (USB): 5 V / 2 A max.
- Input (Micro USB): 5 V / 2 A max.
- · Capacity: 3500 mAh
- 3.7 V lithium battery
- Number of charge cycles: min. 500
- Charging time: approx. 2 h
- Capacity loss: < 1 % per month (in sleep mode)
- Ingress Protection Class IP 20
- Power status: LED
- Incl. Micro USB Charging cable

YOUR PRICE (RM)				
100PCS 300PCS 500PCS 1000 F (RM) (RM) (RM) (RM				
154.50	122.40	111.30	102.00	



### SKROSS RELOAD 5HP

#### **Technical Specifications:**

- · Designed in Switzerland
- · Suitable for USB devices
- Output 1 (USB): 5 V / 1 A max.
- Output 2 (USB): 5 V / 2.1 A max.
- Input (Micro USB): 5 V / 2 A max.
- Capacity: 5000 mAh
- 3.7 V Lithium Battery, class A
- Number of charge cycles: min. 500
- Charging time: approx. 4 h
- Capacity loss: < 1 % per month (in sleep mode)
- Ingress Protection Class: IP 20
- Power status: LED
- Charge'n Sync Micro USB Cable included

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
221.70	176.20	160.20	146.80	




### SKROSS RELOAD 7

#### **Technical Specifications:**

- Suitable for USB devices
- Output 1 (USB): 5 V / 2.4 A max.
- Output 2 (USB): 5 V / 2.4 A max.
- Max. output: 5 V / 4.2 A max.
- Input (Micro USB): 5 V / 2 A max.
- · Capacity: 7000 mAh
- 3.7 V lithium battery, class A
- Number of charge cycles: min. 500
- Charging time: approx. 3.5 h
- Capacity loss: < 1 % per month (in sleep mode)
- Ingress Protection Class IP 20
- Power status: LED; on-/off-button
- Incl. Micro USB Charging cable

YOUR PRICE (RM)				
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)	
200.70	159.40	144.90	132.80	



## **USB CABLES**











## BUZZ-ALARM CABLE 2IN1 MICRO USB AND LIGHTNING CONNECTOR

#### **Technical Specifications:**

Input voltage: 5 V

• Output voltage: 5 V

• Output current: max. 2.1 A (Micro USB)

• Output current: max. 2.4 A (Lightning connector)

• Cable length: 1 m

Apple certified

YOUR PRICE (RM)					
100PCS 300PCS 500PCS 1000 PCS (RM) (RM) (RM) (RM)					
165.00	130.80	118.90	109.00		



## 2IN1 CHARGE'N SYNC MICRO USB AND LIGHTNING CONNECTOR- STEEL LINE

#### **Technical Specifications:**

Input voltage: 5 V

• Output voltage: 5 V

• Output current: max. 2.1 A (Micro USB)

• Output current: max. 2.4 A (Lightning Connector)

• Apple certified

• Cable length: 1 m (3.3 feet)

	YOUR PR	ICE (RM)	
100PCS (RM)	300PCS (RM)	500PCS (RM)	1000 PCS (RM)
151.40	119.90	109.00	99.90



## USB CAR CHARGER





## **DUAL USB CAR CHARGER-QUICK CHARGE 3.0**


- Regardless of your vehicle type, when travelling long distances, the Dual USB
   Car Charger Quick Charge 3.0 is a compact solution for easily keeping batteries
   fully charged while on the go in two devices at the same time.
- Make silent intercom systems on motorbikes and dead mobile phones until reaching your next hotel a thing of the past by conveniently charging your USB devices via your cigarette lighter socket while still remaining mobile.

#### **Technical Specifications:**

- Dual USB charger for car, motorbike, camper, truck and boat
- Easy charging at the cigarette lighter
- Input: 12 24 V DC
- Output (USB): 5 V /2.4 A
- Output (USB QC 3.0): 6.5 V /3 A, 9 V / 2 A, 12 V / 1.5 A
- Max. Output: 5.4 A
- Quick Charge standard: 3.0

YOUR PRICE (RM)					
100PCS 300PCS 500PCS 1000 PCS (RM) (RM) (RM) (RM)					
175.50	139.20	126.60	116.00		





## **ACCESSORIES**





### **POWER POUCH**

- With the practical Power Case from SKROSS® you keep all your travel companions perfectly organised.
- Never again you will forget your cable at home and the mess in your suitcase is a thing of the past.

### **Technical Specifications:**

- Suitable for: SKROSS® travel adapters,
   SKROSS® USB chargers, SKROSS® batteries,
   SKROSS® cables, other travel accessories
- Size: 197 mm x 97 mm x 67 mm
- Products not included

YOUR PRICE (RM)					
100PCS 300PCS 500PCS 1000 PCS (RM) (RM) (RM) (RM)					
65.30	51.00	46.40	42.50		





## **THANK YOU**

### **CONTACT US:**

TEL: 03-2280 2177; FAX: 03-2287 5677 MH GLOBAL SDN.BHD, NO.91, JALAN BANGSAR,

59200 KUALA LUMPUR, MALAYSIA.

EMAIL: salesteam@mhglobal.com

WEBSITE: <u>WWW.MHGLOBAL.COM</u> / <u>WWW.MHAPPARELS.COM</u>